

# Q.PEAK DUO L-G8.3 415-430

**ENDURING HIGH** PERFORMANCE









Q.ANTUM TECHNOLOGY: LOW LEVELISED COST OF ELECTRICITY

Higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to 20.3%.



# INNOVATIVE ALL-WEATHER TECHNOLOGY

Optimal yields, whatever the weather with excellent low-light and temperature behaviour.



# **ENDURING HIGH PERFORMANCE**

Long-term yield security with Anti LID Technology, Anti PID Technology<sup>1</sup>, Hot-Spot Protect and Traceable Quality Tra.Q<sup>™</sup>.



## **EXTREME WEATHER RATING**

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (2400 Pa).



## A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty<sup>2</sup>.



### STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative 12-busbar design with Q.ANTUM Technology.

<sup>1</sup> APT test conditions according to IEC/TS 62804-1:2015, method B (-1500 V, 168 h) <sup>2</sup> See data sheet on rear for further information.

# THE IDEAL SOLUTION FOR:



Rooftop arrays on commercial/industrial buildings




Ground-mounted solar power plants



## **MECHANICAL SPECIFICATION**

Format	81.9 in × 40.6 in × 1.38 in (including frame) (2080 mm × 1030 mm × 35 mm)			
Weight	54.0 lbs (24.5 kg)			
Front Cover	0.13 in (3.2 mm) thermally pre-stressed glass with anti-reflection technology			
Back Cover	Composite film			
Frame	Anodized aluminum			
Cell	6 × 24 monocrystalline Q.ANTUM solar half cells			
Junction Box	2.09-3.98 in × 1.26-2.36 in × 0.59-0.71 in (53-101 mm × 32-60 mm × 15-18 mm), IP67, with bypass diodes			
Cable	4 mm² Solar cable; (+) ≥55.1 in (1400 mm), (-) ≥55.1 in (1400 mm			
Connector	Stäubli MC4-Evo2, Hanwha Q CELLS HQC4, Amphenol UTX, Renhe 05-8, JMTHY JM601A; Tongling Cable01S-F, IP68 or Friends PV2e; IP67			




# **ELECTRICAL CHARACTERISTICS**

PO\	VER CLASS			415	420	425	430
MIN	IIMUM PERFORMANCE AT STANDARI	D TEST CONDITIO	NS, STC <sup>1</sup> (POV	VER TOLERANCE +5 W / -0	)W)		
_	Power at MPP <sup>1</sup>	P <sub>MPP</sub>	[W]	415	420	425	430
	Short Circuit Current <sup>1</sup>	I <sub>SC</sub>	[A]	10.69	10.74	10.78	10.83
unu	Open Circuit Voltage <sup>1</sup>	V <sub>oc</sub>	[V]	48.59	48.84	49.09	49.33
Minim.	Current at MPP	I <sub>MPP</sub>	[A]	10.18	10.22	10.27	10.31
	Voltage at MPP	V <sub>MPP</sub>	[V]	40.77	41.08	41.39	41.70
	Efficiency1	η	[%]	≥19.4	≥19.6	≥19.8	≥20.1
MIN	IIMUM PERFORMANCE AT NORMAL	OPERATING CON	DITIONS, NMO	T <sup>2</sup>			
	Power at MPP	P <sub>MPP</sub>	[W]	310.8	314.5	318.3	322.0
mumir	Short Circuit Current	I <sub>sc</sub>	[A]	8.61	8.65	8.69	8.72
	Open Circuit Voltage	V <sub>oc</sub>	[V]	45.82	46.05	46.29	46.52
Σ	Current at MPP	IMPP	[A]	8.01	8.05	8.08	8.12
	Voltage at MPP	V	[V]	38.79	39.09	39.38	39.67


<sup>1</sup>Measurement tolerances P<sub>MPP</sub> ±3%; I<sub>SC</sub>; V<sub>oc</sub> ±5% at STC: 1000 W/m<sup>2</sup>, 25±2°C, AM 1.5 according to IEC 60904-3 • <sup>2</sup>800 W/m<sup>2</sup>, NMOT, spectrum AM 1.5

#### Q CELLS PERFORMANCE WARRANTY



At least 98% of nominal power during first year. Thereafter max. 0.54% degradation per year. At least 93.1% of nominal power up to 10 years. At least 85% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.



PERFORMANCE AT LOW IRRADIANCE

Typical module performance under low irradiance conditions in comparison to STC conditions (25  $^\circ C, 1000 \, W/m^2)$ 

#### **TEMPERATURE COEFFICIENTS**

Temperature Coefficient of I <sub>sc</sub>	α	[%/K]	+0.04	Temperature Coefficient of $V_{\text{oc}}$	β	[%/K]	-0.27
Temperature Coefficient of P <sub>MPP</sub>	γ	[%/K]	-0.35	Normal Module Operating Temperature	NMOT	[°F]	109±5.4 (43±3°C)

#### **PROPERTIES FOR SYSTEM DESIGN**

Maximum System Voltage $V_{\text{sys}}$	[V]	1500 (IEC)/1500 (UL)	Safety Class	II	
Maximum Series Fuse Rating	[A DC]	20	Fire Rating based on ANSI / UL 1703	C (IEC)/TYPE 1 (UL)	
Max. Design Load, Push / Pull <sup>3</sup>	[lbs/ft <sup>2</sup> ]	75 (3600 Pa)/33 (1600 Pa)	Permitted Module Temperature	−40°F up to +185°F (−40°C up to +85°C)	
Max. Test Load, Push / Pull <sup>3</sup>	[lbs/ft <sup>2</sup> ]	113 (5400Pa)/50 (2400Pa)	on Continuous Duty		
3 Soo Installation Manual					

<sup>3</sup>See Installation Manual

# **QUALIFICATIONS AND CERTIFICATES**

# **PACKAGING INFORMATION**

UL 1703, CE-compliant, IEC 61215:2016, IEC 61730:2016,	Number of Modules per Pallet	29
Application Class II, U.S. Patent No. 9,893,215 (solar cells)	Number of Pallets per 53' Trailer	26
	Number of Pallets per 40' HC-Container	22
	Pallet Dimensions (L×W×H)	84.6 × 45.3 × 48.0 in (2150 × 1150 × 1220 mm)
UL 1703 (254141)	Pallet Weight	1687 lbs (765 kg)

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

#### Hanwha Q CELLS America Inc.

400 Spectrum Center Drive, Suite 1400, Irvine, CA 92618, USA | TEL +1 949 748 59 96 | EMAIL inquiry@us.q-cells.com | WEB www.q-cells.us